

The World is ready to be taken over
with the Power of X.

HELLO, AGAIN.

X U V 7 X Q



HELLO, AGAIN.

X U V 7 X Q





POWER OF X

XUV 760 is shaped by intent and engineered for those who move with certainty. Every element design, technology, performance, and comfort works in quiet alignment to create authority without excess.

This is leadership that doesn't announce itself. It arrives composed. Confident. Effortless. The Power of X is not about standing apart. It's about being effortlessly ahead.



design

PHILOSOPHY

CRAFTED WITH AN X FACTOR

From the confounding first glance to the calm signification within the JLR TVO, embodies design that knows its worth. Even the surface, and texture, is shaped with assurance – setting the norm. The craftsmanship is deliberate, the details evocative and the overall presence unmistakable.

POWER IN ITS STANCE



R19 DIAMOND CUT ALLOYS

Diamond-cut alloy wheels sculpted for strength and visual drama, reinforcing motion, balance, and a commanding SUV stance.

PREMIUM PIANO BLACK ACCENTS

Gloss-finished accents that add durability while enhancing the vehicle's silhouette with a refined, high-contrast finish.

SMART DOOR HANDLE

Plus, integrated handles that extend seamlessly on approach, blending intelligent technology with clean, unadorned design.

SIGNATURE PIANO BLACK GRILLE WITH JEWEL-LIKE TALON ACCENTS

A bold, yet restrained grille finished in deep piano black, elevated by precision-cut TALON accents that catch light with jewel-like clarity and establish a future-facing identity.





DIAMOND INSPIRED LED TAIL LAMPS

Precision-crafted LED tail lamps with clear lenses that create a sharp, unmistakable light signature and leave a confident after-image.

EXPOSED ICE-CUBE FOG AND CORNERING LAMPS

Distinctive ice-cube fog lamps paired with intelligent cornering illumination to enhance visibility exactly where it matters. Combining bold design with purposeful function.



BI-LED PROJECTOR HEADLAMPS

High-performance Bi-LED headlamps engineered for sharp illumination and visual precision, delivering confident visibility with a refined, contemporary expression.

POWER FELT WITHIN





LUXURIOUS AND SOPHISTICATED INTERIORS

A thoughtfully curated cabin that balances elegance and refinement, creating an environment that feels premium, calm and intuitively controlled.



PANORAMIC SKYROOF™

Enjoy panoramic views of sunsets or sparkling city lights from your seat. Bring your love for the outside inside with every drive.



NEW TWO-SPOKE STEERING WHEEL

A carbon-fiber, two-spoke design that blends modern aesthetics with exceptional precision, putting control naturally in the driver's hands.

POWER BENEATH
THE CALM



DESIGNED FOR 5 STAR BNCAP

A high-strength structural architecture engineered to meet stringent safety standards, forming a robust foundation for occupant protection.




THREE-ROW SEATING FLEXIBILITY

A versatile cabin layout that adapts effortlessly to passengers, cargo, and changing priorities without compromise.



FIRST-IN-WORLD DAVINCI DAMPING TECHNOLOGY

Intelligent damping technology that processes road inputs in real time, ensuring exceptional stability, composure, and ride confidence.



ALL-WHEEL INDEPENDENT SUSPENSION WITH FREQUENCY SELECTIVE DAMPING

An advanced suspension system that continuously adapts to road conditions, delivering a balanced blend of comfort and control.

COAST-TO-COAST SCREENS

Triple 33.24cm HD screens, 4 touchlets, personalise (60%) (4) for driver information, entertainment, and controls into one continuous visual experience.



POWER THAT
STAYS WITH YOU

ADRENALIN⁺

A close-up, low-angle shot of the rear of a dark-colored car. The image focuses on the rear window, which has a silver 'ADRENALIN+' badge. Below the window, the rear taillight is visible, featuring a prominent red light bar. The car is set against a clear blue sky.

* 支持 Bluetooth 4.0 & Bluetooth 5.2

ADRENOLY Connect brings 93 intelligent connected features together into one seamless ecosystem. From remote access to real-time insights, your vehicle stays in sync with your world.



POWER IN EVERY NOTE

STUDIO & 3D
IMMERSIVE SOUND

Advanced acoustic tuning that delivers depth, dimension, and spatial accuracy for a truly immersive listening experience.

FIRST-IN-SEGMENT
16-SPEAKER
HARMAN KARDON AUDIO
SYSTEM

A meticulously tuned audio setup that surrounds the cabin with rich, balanced sound across every seat.



FIRST-IN-SEGMENT
Dolby Vision

Enhanced visual technology that delivers superior contrast, colour, depth, and brightness for cinematic realism on screen.

VENUESCAPES

Adaptive sound environments that transform the cabin into a stadium, concert hall or private theatre.



POWER IN STILLNESS





FRONT AND REAR VENTILATED SEATS

Active ventilation that maintains optimal comfort for all occupants, regardless of weather conditions.



PREMIUM SOFT LEATHERETTE UPHOLSTERY

Refined upholstery that delivers a luxurious touch while ensuring durability and ease of maintenance.



HIGH DENSITY FOAM WITH PLUSH PADS

Carefully engineered cushioning that offers lasting support and maintains shape over extended journeys.

RETRACTABLE REAR SUNBLIND

An integrated sunblind that provides instant protection from glare while enhancing rear-seat comfort.



DUAL-ZONE FULLY AUTOMATIC CLIMATE CONTROL

Independent climate zones that allow personalised comfort for driver and passenger alike.



POWER THAT
MOVES WITH YOU





540 DEGREE CAMERA WITH DIGITAL VIDEO RECORDING

A comprehensive surround view system that enhances awareness, precision, and confidence during manoeuvres.



APPROACH UNLOCK AND WALK-AWAY LOCK

The vehicle responds intuitively to your presence, unlocking as you approach and securing itself as you leave.

6-WAY POWERED DRIVER SEAT WITH MEMORY AND WELCOME RETRACT

Memory settings and welcome retract ensure the driver seat adjusts automatically, greeting you with comfort every time.



6-WAY POWERED CO-DRIVER SEAT WITH BOSS MODE

Boss Mode expands rear legroom at the touch of a button, transforming the cabin into a more executive space.



FIRST-IN-SEGMENT INTELLI CONTROL

A centralised control interface that places key vehicle functions within effortless reach.



POWER THAT KEEPS ITS COOL

Wireless charging with active cooling ensures devices charge efficiently without overheating. Fast and safe.



ELECTRONIC PARKING BRAKE

A hidden braking solution that replaces manual effort with a simple, secure action.



MULTIZONE AMBIENT LIGHTING

Customizable lighting zones that allow you to tailor the cabin mood to match your drive.

POWER THAT
PROTECTS



LEVEL 2 ADAS WITH SENSE+

Advanced driver assistance systems that actively support steering, braking, and acceleration for safer driving.

COMPREHENSIVE ADAS WITH 17 FEATURES SUITE

An integrated set of intelligent systems that observe, anticipate, and assist in real time.



FRONT VEHICLE START ALERT



TRAFFIC SIGN RECOGNITION



AUTO EMERGENCY BRAKING



FORWARD COLLISION WARNING



LANE KEEP ASSIST



SMART PILOT

ADAS
VISUALIZATION





FRAMELESS ELECTROCHROMIC IRVM

An automatically dimming rear-view mirror that reduces glare for improved night-time visibility.

HEADLAMP BOOSTER

Enhanced illumination during critical driving situations for greater confidence and safety.



ALL FOUR DISC BRAKES

Consistent, reliable stopping power engineered for control under varied driving conditions



Defrost Off

Max Defrost



MAX DEFROST

Reactive in-screen clearing technology that restores visibility quickly in cold or humid conditions

POWER THAT RESPONDS



BEST-IN-SEGMENT ENGINES

Powertrains engineered to deliver strong performance with refined responsiveness and efficiency.

2.0L mSTALLION



2.2L mRAWK



ZIP ZAP ZOOM DRIVE MODES

Selectable driving modes that tailor throttle response, steering feel, and performance character to your intent.



ALL WHEEL DRIVE CAPABILITY

Intelligent torque distribution that enhances grip, stability, and confidence across terrain.



POWER OF CHOICE

Choices make all the difference

100

- [illegible]



10.00

- In addition to Restraints of A/C
 - Low α (low) Turbidity with β (high) Turbidity
 - Low β (low) β (low) (low) (low) (low) (low) (low)
 - High α (high) α (high)
 - Low β (low) β (low)



15

- In addition to Summary of AIC
- $\log_{10} P$
- "Confidence Interval"
- "Inter-validated fit"
- $\log_{10} P$ & $\log_{10} P$
- "Applicable to all"
- "Confidence Interval" & "Confidence Interval" & "Confidence Interval"
- "Applicable to all" & "Confidence Interval" & "Confidence Interval"



454

- [illegible]



Author's address: *Department of Computer Science, University of Toronto, 270 Spadina Avenue, Toronto, Ontario, Canada M5S 2E4*

- Addition to features of Net
- 1.4.1978: 1st version
- 1.4.1980: 2nd version
- 1.4.1982: 3rd and 4th version
- 1.4.1983: 5th version
- 1.4.1984: 6th version
- 1.4.1985: 7th version
- 1.4.1986: 8th version
- 1.4.1987: 9th version
- 1.4.1988: 10th version
- 1.4.1989: 11th version
- 1.4.1990: 12th version
- 1.4.1991: 13th version
- 1.4.1992: 14th version
- 1.4.1993: 15th version
- 1.4.1994: 16th version
- 1.4.1995: 17th version
- 1.4.1996: 18th version
- 1.4.1997: 19th version
- 1.4.1998: 20th version
- 1.4.1999: 21st version
- 1.4.2000: 22nd version
- 1.4.2001: 23rd version
- 1.4.2002: 24th version
- 1.4.2003: 25th version
- 1.4.2004: 26th version
- 1.4.2005: 27th version
- 1.4.2006: 28th version
- 1.4.2007: 29th version
- 1.4.2008: 30th version
- 1.4.2009: 31st version
- 1.4.2010: 32nd version
- 1.4.2011: 33rd version
- 1.4.2012: 34th version
- 1.4.2013: 35th version
- 1.4.2014: 36th version
- 1.4.2015: 37th version
- 1.4.2016: 38th version
- 1.4.2017: 39th version
- 1.4.2018: 40th version
- 1.4.2019: 41st version
- 1.4.2020: 42nd version
- 1.4.2021: 43rd version
- 1.4.2022: 44th version
- 1.4.2023: 45th version
- 1.4.2024: 46th version
- 1.4.2025: 47th version
- 1.4.2026: 48th version
- 1.4.2027: 49th version
- 1.4.2028: 50th version
- 1.4.2029: 51st version
- 1.4.2030: 52nd version
- 1.4.2031: 53rd version
- 1.4.2032: 54th version
- 1.4.2033: 55th version
- 1.4.2034: 56th version
- 1.4.2035: 57th version
- 1.4.2036: 58th version
- 1.4.2037: 59th version
- 1.4.2038: 60th version
- 1.4.2039: 61st version
- 1.4.2040: 62nd version
- 1.4.2041: 63rd version
- 1.4.2042: 64th version
- 1.4.2043: 65th version
- 1.4.2044: 66th version
- 1.4.2045: 67th version
- 1.4.2046: 68th version
- 1.4.2047: 69th version
- 1.4.2048: 70th version
- 1.4.2049: 71st version
- 1.4.2050: 72nd version
- 1.4.2051: 73rd version
- 1.4.2052: 74th version
- 1.4.2053: 75th version
- 1.4.2054: 76th version
- 1.4.2055: 77th version
- 1.4.2056: 78th version
- 1.4.2057: 79th version
- 1.4.2058: 80th version
- 1.4.2059: 81st version
- 1.4.2060: 82nd version
- 1.4.2061: 83rd version
- 1.4.2062: 84th version
- 1.4.2063: 85th version
- 1.4.2064: 86th version
- 1.4.2065: 87th version
- 1.4.2066: 88th version
- 1.4.2067: 89th version
- 1.4.2068: 90th version
- 1.4.2069: 91st version
- 1.4.2070: 92nd version
- 1.4.2071: 93rd version
- 1.4.2072: 94th version
- 1.4.2073: 95th version
- 1.4.2074: 96th version
- 1.4.2075: 97th version
- 1.4.2076: 98th version
- 1.4.2077: 99th version
- 1.4.2078: 100th version
- 1.4.2079: 101st version
- 1.4.2080: 102nd version
- 1.4.2081: 103rd version
- 1.4.2082: 104th version
- 1.4.2083: 105th version
- 1.4.2084: 106th version
- 1.4.2085: 107th version
- 1.4.2086: 108th version
- 1.4.2087: 109th version
- 1.4.2088: 110th version
- 1.4.2089: 111th version
- 1.4.2090: 112th version
- 1.4.2091: 113th version
- 1.4.2092: 114th version
- 1.4.2093: 115th version
- 1.4.2094: 116th version
- 1.4.2095: 117th version
- 1.4.2096: 118th version
- 1.4.2097: 119th version
- 1.4.2098: 120th version
- 1.4.2099: 121st version
- 1.4.2100: 122nd version
- 1.4.2101: 123rd version
- 1.4.2102: 124th version
- 1.4.2103: 125th version
- 1.4.2104: 126th version
- 1.4.2105: 127th version
- 1.4.2106: 128th version
- 1.4.2107: 129th version
- 1.4.2108: 130th version
- 1.4.2109: 131st version
- 1.4.2110: 132nd version
- 1.4.2111: 133rd version
- 1.4.2112: 134th version
- 1.4.2113: 135th version
- 1.4.2114: 136th version
- 1.4.2115: 137th version
- 1.4.2116: 138th version
- 1.4.2117: 139th version
- 1.4.2118: 140th version
- 1.4.2119: 141st version
- 1.4.2120: 142nd version
- 1.4.2121: 143rd version
- 1.4.2122: 144th version
- 1.4.2123: 145th version
- 1.4.2124: 146th version
- 1.4.2125: 147th version
- 1.4.2126: 148th version
- 1.4.2127: 149th version
- 1.4.2128: 150th version
- 1.4.2129: 151st version
- 1.4.2130: 152nd version
- 1.4.2131: 153rd version
- 1.4.2132: 154th version
- 1.4.2133: 155th version
- 1.4.2134: 156th version
- 1.4.2135: 157th version
- 1.4.2136: 158th version
- 1.4.2137: 159th version
- 1.4.2138: 160th version
- 1.4.2139: 161st version
- 1.4.2140: 162nd version
- 1.4.2141: 163rd version
- 1.4.2142: 164th version
- 1.4.2143: 165th version
- 1.4.2144: 166th version
- 1.4.2145: 167th version
- 1.4.2146: 168th version
- 1.4.2147: 169th version
- 1.4.2148: 170th version
- 1.4.2149: 171st version
- 1.4.2150: 172nd version
- 1.4.2151: 173rd version
- 1.4.2152: 174th version
- 1.4.2153: 175th version
- 1.4.2154: 176th version
- 1.4.2155: 177th version
- 1.4.2156: 178th version
- 1.4.2157: 179th version
- 1.4.2158: 180th version
- 1.4.2159: 181st version
- 1.4.2160: 182nd version
- 1.4.2161: 183rd version
- 1.4.2162: 184th version
- 1.4.2163: 185th version
- 1.4.2164: 186th version
- 1.4.2165: 187th version
- 1.4.2166: 188th version
- 1.4.2167: 189th version
- 1.4.2168: 190th version
- 1.4.2169: 191st version
- 1



WU-13

- Addition to the end of a list
- `list.append()`
- `list.extend()`
- `list.insert()`
- `list.remove()`
- `list.pop()`
- `list.sort()`
- `list.reverse()`
- `list.clear()`



POWER IN EVERY SHADE

Each colour, crafted to carry presence

DESERT MYST



EVEREST WHITE



NEBULA BLUE



STEALTH BLACK



RUBY VELVET



GALAXY GREY



MIDNIGHT BLACK



TECHNICAL SPECIFICATIONS

ENGINE	PETROL	DIESEL
Type	Tuned Petrol with Direct Injection (PDI)	Tuned Diesel with CRDi
Capacity	2.0 L	2.2 L
Max. Power	140 BHP @ 5000 r/min	120 BHP @ 3500 r/min
Max Torque	200 Nm @ 1700-3500 r/min	400 Nm @ 1500-1800 r/min (MT) 400 Nm @ 1700-1800 r/min (AT)
Transmission Type	5 MT / 5 AT	5 MT / 5 AT

DIMENSIONS

Length = 10 ft x 1/2 Height	4505 = 1400 x 1/2 x 25 mm (with Roof Rail)
Wheelbase	2730 mm

SUSPENSION

Front Suspension | McPherson Strut Independent Suspension with ISO and Stabilizer bar
Rear Suspension | Multi-Link Independent Suspension with ISO and Stabilizer bar

BRANE

Plant Ventilated Duct, Roof Inlet Duct, Viscosity, Mixing Bowls (Options) VSP

WHEELS & TYRES

435/65 R17 Steel Wheel with Full Steel Wheel Center
 435/65 R17 V-8 Wheel
 435/65 R18 Diamond Cut Alloy
 435/65 R18 Diamond Cut Alloy
 435/65 R18 Temporary Steel Wheel

FUEL TANK CAPACITY

DOI: 10.1002/for

VARIANT	SEATER	PETROL		DIESEL		
		MT	AT	MT	AT	AMT AT
AX	3 STR	Y	-	Y	-	-
AXS	3 STR	Y	Y	Y	Y	-
AXS	3 STR	-	Y	Y	Y	-
AXT	3 STR	Y	Y	Y	Y	-
AXT TECH	6 STR	-	Y	Y	Y	-
	7 STR	-	Y	Y	Y	Y
AXT LUXURY	6 STR	-	Y	-	Y	-
	7 STR	-	Y	Y	Y	Y

[illegible]